

Table of Contents

| | | | |
|--|-----------|--|------------|
| Foreword | ix | 8. Circulatory Diseases and elective treatments | 50 |
| Executive Summary | xi | 8.1 Incidence of CHD (ICD10: I20-I25) | 50 |
| 1. Introduction | 1 | 8.2 Incidence of chest pain (including upper abdominal pain) (ICD10: R101, R073, R074) | 50 |
| 2. Inequalities and Health Policy | 2 | 8.3 Incidence of stroke (ICD10: I60-I69) | 50 |
| 2.1 Understanding Health Inequalities | 2 | 8.4 Prevalence of heart failure (ICD10: I50) | 51 |
| 2.2 Government Health Inequalities Policy | 3 | 8.5 Angiography elective treatment (OPCS4: K63) | 51 |
| 3. Characteristics of the North West | 6 | 8.6 Revascularisation elective treatment (coronary artery bypass grafts plus angioplasty) (OPCS4: K40-K46, K49-K50) | 51 |
| 4. Measuring and Illustrating Health Inequalities in the North West | 9 | 9. Cancer | 65 |
| 4.1 Geographical Presentations | 9 | 9.1 Prevalence of breast cancer (carcinoma and 'in situ') (ICD10: C50, D05) | 65 |
| 4.2 Identifying Inequalities Gradients | 9 | 9.2 Prevalence of colorectal cancer (ICD10: C17-C21) | 65 |
| 4.2.1 Index of Multiple Deprivation | 9 | 9.3 Prevalence of leukaemia (ICD10: C91-C95) | 65 |
| 4.2.2 Geodemographic Lifestyle Groupings | 10 | 9.4 Prevalence of lung cancer (ICD10: C33-C34) | 66 |
| 4.2.3 Ethnic Minority Groupings | 11 | 9.5 Prevalence of prostate cancer (ICD10: C61) | 66 |
| 4.2.4 Rural-Urban Classification | 11 | 9.6 Prevalence of skin cancer (ICD10: C43-C44) | 66 |
| 4.3 Data sources and methods used for illustrations | 11 | 9.7 Prevalence of cervical cancer (carcinoma and 'in situ') (ICD10: C53, D06) | 66 |
| 4.3.1 Hospitalised, Incidence, Prevalence and Treatments | 11 | 10. Elective endoscopic investigative procedures | 83 |
| 4.3.2 Calculations used within datasets | 12 | 10.1 Sigmoidoscopy and colonoscopy (OPCS4: H22, H25) | 83 |
| 5. North West progress in tackling Health Inequalities | 20 | 10.2 Gastroscopy (OPCS4: G45) | 83 |
| 6. Poverty and Income | 26 | 11. Common emergency admissions (excluding CHD) | 88 |
| 6.1 Income domain of deprivation | 26 | 11.1 Incidence of acute respiratory conditions (ICD10: J10-J22) | 88 |
| 6.2 Health and disability deprivation | 26 | 11.2 Incidence of falls and fractured neck of femur (ICD10: W00-W19, S72) | 88 |
| 6.3 Barriers to housing and services | 26 | 11.3 as 11.2 | 88 |
| 6.4 Claimants of attendance allowance | 26 | 11.4 Incidence of lower abdominal pain (ICD10: R103-R104) | 88 |
| 6.5 Claimants of disability living allowance | 27 | 11.5 Incidence of 'frequent fliers' | 89 |
| 6.6 Claimants of incapacity allowance | 27 | 12. Conditions with increasing or high prevalence | 101 |
| 7. General health indicators | 40 | 12.1 Prevalence of diabetes (ICD10: E10-E14) | 101 |
| 7.1 Unpaid carers providing over 20 hours care a week | 40 | 12.2 Prevalence of asthma (ICD10: J45-J46) | 101 |
| 7.2 Standardised 'not good' health ratio | 40 | 12.3 Prevalence of back pain (ICD10: M50-M54) | 101 |
| 7.3 Percentage population aged over 75, living in communal establishments | 40 | 12.4 Prevalence of osteoporosis (ICD10: M80-M82) | 102 |
| 7.4 All cause all age mortality | 41 | | |

Table of Contents

| | | | | |
|---|---|------------|--|---|
| 12.5 | Prevalence of rheumatoid arthritis (ICD10: M05-M14) | 102 | 20. Lifestyle factors affecting health | 170 |
| 12.6 | Prevalence of all arthroses (ICD10: M15-M19) | 102 | 20.1 | Adult Obesity (Synthetic Estimate) 170 |
| 12.7 | Prevalence of chronic obstructive pulmonary disease (ICD10: J40-J44) | 103 | 20.2 | Binge drinking (Synthetic Estimate) 170 |
| 12.8 | Prevalence of epilepsy (ICD10: G40-G41) | 103 | 20.3 | Smoking (Synthetic Estimate) 170 |
| 13. Common elective hospital procedures | | 120 | 20.4 | Drugs 170 |
| 13.1 | Hip replacements (OPCS4: W37-W39, W46-W48) | 120 | 21. Births data | 177 |
| 13.2 | Knee replacements (OPCS4: W40-W42) | 120 | 21.1 | Births to lone mothers 177 |
| 13.3 | Cataract removal (OPCS4: C71-C75) | 120 | 21.2 | Teenage pregnancies 177 |
| 13.4 | Hernia repairs (OPCS4: T19-T27) | 120 | 21.3 | Elective caesareans (OPCS4: R17) 177 |
| 13.5 | Hysterectomies (OPCS4: Q07-Q08) | 121 | Appendix 1. | Percentage of Lower Super Output Areas in each national deprivation (IMD 2004) quintile by North West Local Authority 184 |
| 13.6 | Endoscopic Prostatectomy (OPCS4: M65) | 121 | Appendix 2. | Brief description of core 'P ² People and Places ©' lifestyle groups 185 |
| 13.7 | Removal of skin lesions (OPCS4: S06) | 121 | Appendix 3. | Percentage of Lower Super Output Areas in each core 'P ² People and Places ©' lifestyle group 186 |
| 14. Childhood elective treatments | | 137 | Appendix 4. | Percentage of Lower Super Output Areas classified as White (66% of population and over) or predominant ethnic group where White is <66% 187 |
| 14.1 | Drainage of the middle ear (OPCS4: D15) | 137 | Appendix 5. | Percentage of Lower Super Output Areas in each rural-urban classification 188 |
| 14.2 | Tonsillectomy (OPCS4: F34) | 137 | Appendix 6. | Detailed Definitions of Data Extracted 189 |
| 15. Adverse effects of treatment | | 143 | Appendix 7. | Detailed Methodology 194 |
| 15.1 | Adverse effects of treatment (ICD10: Y40-Y84) | 143 | References | 198 |
| 16. Road traffic accidents and all accidents | | 147 | | |
| 16.1 | Incidence of road traffic accidents (ICD10: V01-V79) | 147 | | |
| 16.2 | Incidence of all accidents (ICD10: V01-X59) | 147 | | |
| 17. Mental health, self-harm and alcohol specific conditions | | 152 | | |
| 17.1 | Prevalence of chronic mental health conditions (ICD10: F20-F48) | 152 | | |
| 17.2 | Incidence of self-harm (ICD10: X80-X84, Y10-Y34) | 152 | | |
| 17.3 | Prevalence of alcohol specific conditions (ICD10: F10, K70, K73, K74, X45) | 152 | | |
| 18. Violence | | 161 | | |
| 18.1 | Incidence of violence leading to emergency admissions (ICD10: X85-Y09) | 161 | | |
| 19. Deaths attributable to lifestyle factors | | 165 | | |
| 19.1 | Smoking and alcohol attributable mortality (Attributable fractions of a selected list of ICD codes) | 165 | | |
| 19.2 | as 19.1 | 165 | | |

List of Maps and Figures

| | | | | | |
|-----------------------------|---|--------|------------------------------|---|----------|
| Map 3.1 | Primary Care Trusts and Local Authorities in the North West showing Spearhead Groups | 7 | Map & Figure 8.3 | Hospitalised Emergency Incidence for Stroke | 56, 57 |
| Map 3.2 | Life Expectancy at birth in years for North West Local Authorities | 8 | Map & Figure 8.4 | Hospitalised Prevalence for Heart Failure | 58, 59 |
| Map 4.1 | Index of Multiple Deprivation (IMD 2004) across the North West region | 14 | Map & Figure 8.5 | Hospitalised Elective Treatment by Angiography | 60, 61 |
| Map 4.2 | Geo-demographic classifications for Cumbria and Lancashire Strategic Health Authority | 15 | Map & Figure 8.6 | Hospitalised Elective Treatment by Revascularisation | 62, 63 |
| Map 4.3 | Geo-demographic classifications for Greater Manchester Strategic Health Authority | 16 | Map & Figure 9.1 | Hospitalised Prevalence for Breast Cancer | 68, 69 |
| Map 4.4 | Geo-demographic classifications for Cheshire and Merseyside Strategic Health Authority | 17 | Map & Figure 9.2 | Hospitalised Prevalence for Colorectal Cancer | 70, 71 |
| Map 4.5 | Predominant ethnic groups across the North West region | 18 | Map & Figure 9.3 | Hospitalised Prevalence for Leukaemia | 72, 73 |
| Map 4.6 | Rural-urban typology across the North West region | 19 | Map & Figure 9.4 | Hospitalised Prevalence for Lung Cancer | 74, 75 |
| Figure 5.1 | Relative gap in life expectancy at birth for Males and Females: 1995/97 to 2001/03 comparing North West region with England and Wales | 20 | Map & Figure 9.5 | Hospitalised Prevalence for Prostate Cancer | 76, 77 |
| Figure 5.2 | Relative gap in excess mortality for Males and Females: 1995/97 to 2001/03 comparing North West region with England and Wales | 21 | Map & Figure 9.6 | Hospitalised Prevalence for Skin Cancer | 78, 79 |
| Figure 5.3 | Contribution to life expectancy in Males under age 75 by cause of death: 1995/97 to 2001/03 comparing North West Region with England and Wales | 21 | Map & Figure 9.7 | Hospitalised Prevalence for Cervical Cancer | 80, 81 |
| Figure 5.4 | Contribution to life expectancy in Females under age 75 by cause of death: 1995/97 to 2001/03 comparing North West Region with England and Wales | 21 | Map & Figure 10.1 | Hospitalised Elective Treatment by Sigmoidoscopy | 84, 85 |
| Figure 5.5 | Relative gap in life expectancy in Males under age 75 by deprivation (IMD 2004) quintile: 1995/97 to 2001/03 comparing North West Region with England and Wales | 22 | Map & Figure 10.2 | Hospitalised Elective Treatment by Gastroscopy | 86, 87 |
| Figure 5.6 | Relative gap in life expectancy in Females under age 75 by deprivation (IMD 2004) quintile: 1995/97 to 2001/03 comparing North West Region with England and Wales | 22 | Map & Figure 11.1 | Hospitalised Emergency Incidence for Acute Respiratory Conditions | 90, 91 |
| Figure 5.7 | Relative gap in life expectancy in Males under age 75 by Geodemographic lifestyle group: 1995/97 to 2001/03 comparing North West Region with England and Wales | 23 | Map & Figure 11.2 | Hospitalised Emergency Incidence for Accidental Falls | 92, 93 |
| Figure 5.8 | Relative gap in life expectancy in Females under age 75 by Geodemographic lifestyle group: 1995/97 to 2001/03 comparing North West Region with England and Wales | 23 | Map & Figure 11.3 | Hospitalised Emergency Incidence for Fractured Neck of Femur | 94, 95 |
| Map & Figure 6.1 | Income Domain of Deprivation | 28, 29 | Map & Figure 11.4 | Hospitalised Emergency Incidence for Lower Abdominal Pain | 96, 97 |
| Map & Figure 6.2 | Health and Disability Domain of Deprivation | 30, 31 | Map & Figure 11.5 | Hospitalised Emergency Incidence for 'Frequent Fliers' | 98, 99 |
| Map & Figure 6.3 | Barriers to Housing and Services Domain of Deprivation | 32, 33 | Map & Figure 12.1 | Hospitalised Prevalence for Diabetes | 104, 105 |
| Map & Figure 6.4 | Claimants of Attendance Allowance | 34, 35 | Map & Figure 12.2 | Hospitalised Prevalence for Asthma | 106, 107 |
| Map & Figure 6.5 | Claimants of Disability Living Allowance | 36, 37 | Map & Figure 12.3 | Hospitalised Prevalence for Back Pain | 108, 109 |
| Map & Figure 6.6 | Claimants of Incapacity Benefit and Severe Disablement Allowance | 38, 39 | Map & Figure 12.4 | Hospitalised Prevalence for Osteoporosis | 110, 111 |
| Map & Figure 7.1 | Provision of Unpaid Care | 42, 43 | Map & Figure 12.5 | Hospitalised Prevalence for Rheumatoid Arthritis | 112, 113 |
| Map & Figure 7.2 | Standardised 'Not Good' Health | 44, 45 | Map & Figure 12.6 | Hospitalised Prevalence for all Arthroses | 114, 115 |
| Map & Figure 7.3 | Population in Communal Establishment | 46, 47 | Map & Figure 12.7 | Hospitalised Prevalence for Chronic Obstructive Pulmonary Disease | 116, 117 |
| Map & Figure 7.4 | Mortality from All Causes | 48, 49 | Map & Figure 12.8 | Hospitalised Prevalence for Epilepsy | 118, 119 |
| Map & Figure 8.1 | Hospitalised Emergency Incidence for Coronary Heart Disease | 52, 53 | Map & Figure 13.1 | Hospitalised Elective Treatment by Hip Replacements | 122, 123 |
| Map & Figure 8.2 | Hospitalised Emergency Incidence for all Chest Pain | 54, 55 | Map & Figure 13.2 | Hospitalised Elective Treatment by Knee Replacements | 124, 125 |
| | | | Map & Figure 13.3 | Hospitalised Elective Treatment by Extraction of Cataracts | 126, 127 |
| | | | Map & Figure 13.4 | Hospitalised Elective Treatment by Hernia Repair | 128, 129 |
| | | | Map & Figure 13.5 | Hospitalised Elective Treatment by Hysterectomy | 130, 131 |
| | | | Map & Figure 13.6 | Hospitalised Elective Treatment by Endoscopic Prostatectomy | 132, 133 |
| | | | Map & Figure 13.7 | Hospitalised Elective Treatment by Removal of Skin Lesions | 134, 135 |

List of Maps and Figures

| | | |
|------------------------------|---|-----------------|
| Map & Figure 14.1 | Hospitalised Elective Treatment by Drainage of the Middle Ear | 138, 139 |
| Map & Figure 14.2 | Hospitalised Elective Treatment by Tonsillectomy | 140, 141 |
| Map & Figure 15.1 | Hospitalised Emergency Incidence for Adverse Effects of Treatment | 144, 145 |
| Map & Figure 16.1 | Hospitalised Emergency Incidence for Road Traffic Accidents | 148, 149 |
| Map & Figure 16.2 | Hospitalised Emergency Incidence for all Accidents | 150, 151 |
| Map & Figure 17.1 | Hospitalised Prevalence for Mental Health Conditions | 154, 155 |
| Map & Figure 17.2 | Hospitalised Emergency Incidence for Self Harm | 156, 157 |
| Map & Figure 17.3 | Hospitalised Prevalence for Alcohol Specific Conditions | 158, 159 |
| Map & Figure 18.1 | Hospitalised Emergency Incidence for Violence | 162, 163 |
| Map & Figure 19.1 | Mortality Attributable to Smoking (SAMMEC attribution factors) | 166, 167 |
| Map & Figure 19.2 | Mortality Attributable to Alcohol (Alcohol Harm Reduction Strategy attribution factors) | 168, 169 |
| Map 20.1 | Adult Obesity | 172 |
| Map 20.2 | Adult Binge Drinking | 173 |
| Map 20.3 | Adult Smoking Prevalence | 174 |
| Map 20.4 | Drug Treatment Contacts | 175 |
| Map & Figure 21.1 | Births to Lone Mothers | 178, 179 |
| Map 21.2 | Teenage Conceptions (pregnancies plus terminations) | 181 |
| Map & Figure 21.3 | Hospitalised Elective Caesareans | 182, 183 |